


Anatomy of the ear



Diseases of the external
and middle ear.

Asist.univ.Chiaburu-Chiosa
Doina

EXTERNAL EAR



THE AURICLE





Copyright MM Carr

Perichondritis



Erysipelas

DISEASES OF THE EXTERNAL EAR


CONGENITAL MALFORMATIONS


- Anotia & microtia
- Accessory auricle
- Preauricular sinus
- Protruding ear



CONGENITAL MALFORMATIONS


- Anotia & microtia
- Accessory auricle
- Preauricular sinus
- Protruding ear






TRAUMA TO THE AURICLE

- Lacerations
- Hematoma auris



Complication



Cauliflower ear

PERICHONDRTIS OF THE PINNA

- Usually follow trauma (hematotauris, surgical, frostbite, burns, otitis externa)
- Commonly caused by Pseudomonas
- Fever, pain, redness and swelling
- Treatment is by antibiotics




OTITIS EXTERNA

DEFINITION

- An acute or chronic infection of the whole or a part of the skin of the external ear canal


CAUSES OF OTITIS EXTERNA



CAUSES OF OTITIS EXTERNA

INFECTIVE

REACTIVE



CAUSES OF OTITIS EXTERNA



INFECTIVE

Bacterial

Fungal

Viral

REACTIVE



CAUSES OF OTITIS EXTERNA

INFECTIVE

Bacterial

Fungal

Viral

Eczematous

Seborrheic

REACTIVE

CAUSES OF OTITIS EXTERNA

INFECTIVE

Bacterial

Staph. arues

Pseudomonos

Others

Fungal

Viral

Eczematous

Seborrheic

REACTIVE

CAUSES OF OTITIS EXTERNA

INFECTIVE

Bacterial

Staph. arues

Pseudomonos

Others

Fungal

Aspergillus Niger

Candida Albicans

Viral

Eczematous

REACTIVE

Seborrheic

CAUSES OF OTITIS EXTERNA

INFECTIVE

Bacterial

Staph. arues

Pseudomonos

Others

Fungal

Aspergillus Niger

Candida Albicans

Viral

Herpes zoster

Others

REACTIVE

Eczematous

Seborrheic

CLINICAL FEATURES OF OTITIS EXTERNA

- Itching
- Pain
- Tenderness and swelling
- Otorrhea
- Deafness
- Changes in the lumen and skin of EAM


CLINICAL TYPES OF OTITIS EXTERNA

- Localize O.E (furuncle)




CLINICAL TYPES OF OTITIS EXTERNA

- Localize O.E
(furuncle)
- Diffuse infective O.E.




CLINICAL TYPES OF OTITIS EXTERNA

- Localize O.E
- (furuncle)
- Diffuse infective O.E.
- Otomycosis



CLINICAL TYPES OF OTITIS EXTERNA

- Localize O.E (furuncle)
- Diffuse infective O.E.
- Otomycosis
- Bullous myringitis



CLINICAL TYPES OF OTITIS EXTERNA

- Localize O.E
(furuncle)
- Diffuse infective O.E.
- Otomycosis
- Bullous myringitis
- Herpetic O.E.



CLINICAL TYPES OF OTITIS EXTERNA

- Localize O.E
(furuncle)
- Diffuse infective O.E.
- Otomycosis
- Bullous myringitis
- Herpetic O.E
- Eczematous and seborrheic O.E.



CLINICAL TYPES OF OTITIS EXTERNA

- Localize O.E (furuncle)
- Diffuse infective O.E.
- Otomycosis
- Bullous myringitis
- Herpetic O.E
- Eczematous and seborrheic O.E.
- “Malignant” otitis externa

MANAGEMENT OF OTITIS EXTERNA

- Swab for culture and sensitivity
- Ear toilet
- Keep the ear dry
- Local medications
- Systemic medications
- Surgery may be required in chronic cases

